

extended rotary handle, Compact INS40 to INS60, IP55, IK08, black handle, front control

LV428941

Main

Range of product	INS40160	
Device short name	rotary handle	
Product or component type	Rotary handle	
Accessory / separate part type	Control accessories	
Handle colour	Black	
Handle front plate colour	Black	
Rotary handle mounting style	Extended	

Complementary

Rotary handle padlocking	Padlock in OFF position
Rotary handle mounting location	Front

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.700 cm
Package 1 Width	10.700 cm
Package 1 Length	48.700 cm
Package 1 Weight	430.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	3.698 kg
Unit Type of Package 3	P12
Number of Units in Package 3	72
Package 3 Height	90.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	35.993 kg

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Contractual warranty

Warranty

18 months

Apr 9, 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	A996aaa1-a70f-4d6b-a770-cfa3eae2e33b
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No