Product datasheet

Specifications



ARGUS Presence Dual-Tech - 1ch

CCT551011

Main

Range of product	ARGUS standard movement detector	
Range	ARGUS	
Product or component type	Presence detector with IR receiver	
Load type	LED lighting: : 100 W Incandescent lamps: : 2000 W - 230 V Halogen lamp: : 1000 W - 230 V Halogen lamp with standard electronic transformer: 1000 VA Halogen lamp with standard ferromagnetic transformer: 1000 VA Fluorescent tube: 900 VA, 100 μF	
Colour tint	White	

Complementary

Network frequency	50/60 Hz	
Input function	Switch External trigger	
Output voltage	220250 V	
Number output current	10 A	
Number of channels	2	
Control type	Movement sensor	
Function available	Switching, toggling, dimming	
Light intensity adjustment	101000 lux	
Horizontal detection angle	360 °	
Mounting height	2.5 m	

Environment

IP degree of protection

IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.2 cm
Package 1 Width	11.7 cm
Package 1 Length	17.7 cm
Package 1 Weight	462 g
Unit Type of Package 2	CAR

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

Number of Units in Package 2	8
Package 2 Height	40 cm
Package 2 Width	31 cm
Package 2 Length	50 cm
Package 2 Weight	10.29 kg
Unit Type of Package 3	P12
Number of Units in Package 3	160
Package 3 Height	95 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	88.92 kg

🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

earrow Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)

Environmental Disclosure

Product Environm

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	6ba39e26-4b09-4936-93d2-efbdac7ff03a
REACh Regulation	REACh Declaration

Use Again

igodoldoldoldoldoldoldoldoldoldoldoldoldol	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins