

PratiKa socket - screw - angled - 32A - 2P + E - 200...250 V AC - wall

PKF32W723

Main

Range	Mureva	
Product or component type	Socket	
Device short name	Mureva socket	
Plug, socket category	Low voltage	
Poles description	2P + E	
Network type	AC	
Outlet standard	Industrial	

Complementary

Mounting mode	Wall-mounted	
Plug, socket, control station shape	Angled	
[In] rated current	32 A	
[Ue] rated operational voltage	200250 V	
Network frequency	50/60 Hz	
Ground lug clockwise position	6 h	
Plug, socket material	Housing: self-extinguishing engineering polymer	
Contacts material	Sleeves: brass	
Connections - terminals	Captive screws	
Cable cross section	2.510 mm²	
Cable outer diameter	21 mm	
Thread type	M25	
Height	191 mm	
Width	106 mm	
Depth	148 mm	
Colour	Grey (RAL 7035)	
Voltage colour	Blue	

Environment

Standards	IEC 60309-2 IEC 60309-1
IP degree of protection	IP67 conforming to IEC 60529
IK degree of protection	IK08 conforming to EN 62262

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Fire resistance	750 °C conforming to IEC 60695-2-1	
Relative humidity	50 % at 40 °C	
	70 % at 30 °C	
	90 % at 20 °C	
Ambient air temperature for	35 °C (86400 s)	
operation	-2540 °C	

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.4 cm
Package 1 Width	9.5 cm
Package 1 Length	16.1 cm
Package 1 Weight	310 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	17.6 cm
Package 2 Width	26.6 cm
Package 2 Length	27 cm
Package 2 Weight	1.74 kg
Unit Type of Package 3	S03
Number of Units in Package 3	10
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	3.967 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	17
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
SCIP Number	89350e0d-a4ac-4516-bf86-fdaed8a227fc	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No