Specifications



PratiKa industrial socket - 63 A - 3P + N + E - 380...415 V AC - IP67

81183

Main

Range	Mureva
Product or component type	Socket
Device short name	Mureva socket
Plug, socket category	Low voltage
Poles description	3P + N + E
Network type	AC
Outlet standard	Industrial

Complementary

Mounting mode	Wall-mounted	
Plug, socket, control station shape	Angled	
[In] rated current	63 A	
[Ue] rated operational voltage	380415 V	
Network frequency	50/60 Hz	
Ground lug clockwise position	6 h	
Plug, socket material	Housing: self-extinguishing engineering polymer	
Contacts material	Pins: stainless steel Sleeves: nickel plated brass Springs: stainless steel	
Connections - terminals	Captive screws, completely loosened	
Cable cross section	625 mm ²	
cable entry	Cable gland	
Thread type	Pg 36	
Net weight	1.02 kg	
Base dimension	104 x 162 mm	
Height	255 mm	
Width	104 mm	
Depth	180 mm	
Colour	Grey (RAL 7035)	
Voltage colour	Red	

Environment

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Standards	EN 60309-2 EN 60309-1	
IP degree of protection	IP67 conforming to IEC 60529	
IK degree of protection	IK08 conforming to EN 62262	
Fire resistance	850 °C conforming to IEC 60695-2-11	
Relative humidity	50 % at 40 °C 70 % at 30 °C 90 % at 20 °C	
Ambient air temperature for operation	35 °C (86400 s)	
Packing Units		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	10.800 cm	
Package 1 Width	18.000 cm	
Package 1 Length	25.500 cm	
Package 1 Weight	1.050 kg	
Unit Type of Package 2	\$03	
Number of Units in Package 2	5	
Package 2 Height	30.000 cm	
Package 2 Width	30.000 cm	
Package 2 Length	40.000 cm	
Package 2 Weight	5.801 kg	
Unit Type of Package 3	P12	
Number of Units in Package 3	40	
Package 3 Height	45.000 cm	
Package 3 Width	80.000 cm	
Package 3 Length	120.000 cm	

Package 3 Weight

57.192 kg

Contractual warranty

Warranty

18 months

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

${\mathcal Q}$ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	54
Environmental Disclosure	Product Environmental Profile

Use Better

S Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	89350e0d-a4ac-4516-bf86-fdaed8a227fc
REACh Regulation	REACh Declaration

Use Again

\circlearrowright Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No