

Mureva Styl - cover frame for socket outlet - 1 gang - white

MUR39107

Main

Range of product	Mureva Styl
Product or component type	Fixing frame
Range compatibility	Mureva Styl
Colour tint	White (RAL 9003)

Complementary

Device mounting	Flush	
Number of gangs	1 gang	
Installation direction	Horizontal	
Condition of use	Indoor/outdoor	
Material	PC	
Fixing mode	By screws	
Length	84 mm	
Height	28 mm	
Width	84 mm	
Projecting depth	19 mm	
Chemical and detergent products resistance	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane	

Environment

Quality labels	AENOR NF	
IP degree of protection	IP55	
IK degree of protection	IK08	
Flame retardance	Self-extinguishing 650 °C conforming to IEC 60695-2-1	
Ambient air temperature for operation	-540 °C	
Ambient air temperature for storage	-2555 °C	

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.600 cm
Package 1 Width	8.400 cm
Package 1 Length	8.400 cm
Package 1 Weight	40.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.000 cm
Package 2 Width	17.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	486.000 g
Unit Type of Package 3	S04
Number of Units in Package 3	60
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	3.650 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	8c554461-aa6e-4ce6-a425-e129474211e1
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No